w www.cinkarna.si



SAFETY DATA SHEET	Page 1 of 6	
	Issued on: 25.02.2014	
Trade name: CUPROVIN 50	Revised on: 18.12.2023 Version: 11	

1.1.	Product identifier (Product registration number, nanoform, UFI):	CUPROVIN 5 GT83)	60 (UFI: 3C00-N088-300X-	
1.2.	Relevant identified uses of the substance/mixture and uses advised against:	copper deficie	eral fertilizer with Copper (Cu) for ency in the form of a powder for products having acidic or strong	suspension.
1.3.	Details of the supplier of the safety data sheet (m distributor):	anufacturer, in	nporter, only representative, c	lownstream user or
1.3.1.	Supplier name:	CINKARNA C	ELJE, d.d.	Division: Kemija Celje
1.3.2.	Supplier address and phone:	Kidričeva 26,	3001 CELJE, SLOVENIJA, +38	6 3 427 60 00
1.3.3.	E-Mail (competent person):	karmen.veber		
1.4.	Emergency phone number:	In the case of health hazards consult with personal or emergency doctor, in the case of life-threatening situation, call 112 .		
2. Ha	azards identification			
2.1.	Classification of substance or mixture:	Acute toxicit Acute toxicit Hazardous to Hazardous to M=10 Hazard State	C) No. 1272/2008 by / oral /; Category 3 by / inh. /; Category 4 by the aquatic environment /Ac by the aquatic environment /Ch by the aquatic environment /Ch by the ments: H301, H332, H400, H41	ronic/; Category 1;
2.2.	Label elements:	Danger H301 H332 H410 P261 P270 P273 P301 + 312 P304 + 340 P501	Toxic if swallowed. Harmful if inhaled. Very toxic to aquatic life with I Avoid breathing dust/fume/ga: Do not eat, drink or smoke wh Avoid release to the environm IF SWALLOWED: Call a POIS if you feel unwell. IF INHALED: Remove victim t rest in a position comfortable Dispose of contents/container national regulations.	s/mist/vapours/spray. len using this product. lent. SON CENTRE/doctor/ o fresh air and keep at for breathing.
2.3.	Other hazards:	EUH401	To avoid risks to human healt	
3. Co	□ omposition/information on ingredients		comply with the instructions for	use.

Cinkarna Celje, SAFETY DATA SHEET	Page 2 of 6
Trade name: CUPROVIN 50	

	al name er chloride xide	CAS No. EC No. Index No. 1332-65-6 215-572-9 029-017-00-1	REACH Registration No. Reference No. 01- 2119966120- 46-0006	% wt/vol/max. conc. Min.87,0 wt. %	Classification according to Regulation (EC) No 1272/2008 (CLP) Acute toxicity / oral. /; Category 3 Acute toxicity / inh. /; Category 4 Hazardous to the aquatic environment /Acute/; Category 1; M=10 Hazardous to the aquatic environment /Chronic/; Category	SCL, M-factor, ATE Oral: ATE = 299 mg/kg bw Inhalation: ATE = 2,83 mg/l (dust or haze) M = 10 M = 10	
					1; M=10 H301, H332, H400, H410		
4. Fir	st aid measu	ires					
4.1.	Description of f	irst aid measur	es:	rescuing the contaminated possible and unconsciousmented left side) resuscitation procedure: ai an automatic started.	sures: The safety of the rescuer victim. The affected person shou area to fresh air or a well-vent disprotected from the cold less, the victim is placed in the unit is performed according to freway relaxation, preferably not an defibrillator is obtained, and extending to the color of the co	ald be removed from the tilated area as soon as or heat. In case of unconscious position (on and / or cardiac arrest, the basic resuscitation retificial mouth breathing ernal cardiac massage is	
	Inhalation:		affected pers sensation in immediately.				
	Skin contact:			parts of the irritation persi	Remove contaminated clothing, gloves and shoes. Wash the affected parts of the body thoroughly with plenty of soap and water. If skin irritation persists, seek medical attention.		
	Eyes/mycosis contact:		water or salin should be ren If irritation and	with thumb and forefinger and ringle for 15 minutes. In case of wear noved immediately, and eye rinsing redness persist, seek medical and a second se	ing contact lenses, they ng should be continued. attention.		
	Ingestion:		2-3 dl of wat	person should rinse the oral caver. ATTENTION! Do not induce a person with a narrowed coadoctor.	e vomiting. Do not give		
4.2	Most important symptoms and effects, acute and delayed:		Various tests cramps and Symptoms of neurological of rapid heartbe	suggest the possible occurrence vomiting as a result of irritation of high copper concentrations disorders (but without side effect at, lowering of blood pressure, ness. There are no lung injurie	of the gastric mucosa. are liver toxicity and is on tissue distribution), cardiovascular collapse,		
4.3.	Indication of any immediate medical attention and special treatment needed:		Basic life fun lavage is indi	ctions need to be established a cated if a large amount of fertilize tidote. Treatment is symptomatic	er is suspected. There is		
5. Fir	efighting me	asures					
5.1.	Extinguishing n	nedia					
	Appropriate med	ia:			guishing media, carbon dioxide he dispersed state.	CO2 or foam. Water is	
	Inappropriate me	edia:		Don't use dire			
5.2.	Specific hazard mixture:	s arising from t	he substance or	Never rinse	fire – hydrogen chloride and oxi the contaminated soil with wat e allowed to enter drain syste	er. Water from the fire	

Cinkarna Celje, SAFETY DATA SHEET	Page 3 of 6
Trade name: CUPROVIN 50	

		should be separately collected and disposed of at an appropriately regulated landfill, in accordance with the applicable Rules of the
		disposal of hazardous waste.
5.3.	Advice for firefighters:	Not required.
6. Ac	ccidental release measures	
6.1.	Personal precautions protective equipment and emergency procedures	
6.1.1.	For non-emergency persons:	See section 6.3.2
6.1.2.	For emergency responders:	See section 4.1
6.2. 6.3.	Environmental precautions: Methods and material for containment and cleaning up	Potential for water contamination – inform the competent services.
6.3.1.	Appropriate spillage retaining techniques (fencing, covering drains, retaining procedures):	In the case when the fertilizer is mixed with water – prevent (fertilizer cover with soil or other absorbent materials) the spread into the underground drainage pipe system or streams.
6.3.2.	Appropriate cleaning procedures	
	Neutralization techniques:	Cover the fertilizer with soil, peat of other neutral absorbent material.
	Decontamination techniques:	Scatter: warn the persons present of the danger, secure the dangerous area, inform the responsible services, withdraw from the wind direction, use personal protective equipment (point 8.2.2), call the Information Centre, tel.: 112.
	Absorbent materials:	Neutral material: earth, peat, sand or any other absorbent material. In the case of scattering pick up the fertilizer with a shovel and place it
	Cleaning techniques:	into a clean and labelled container with a fully sealable lead. Do not breathe in the dust. If the fertilizer cannot be re-used it should be disposed of in accordance with the applicable Rules of the disposal of hazardous waste. If the fertilizer is mixed with absorbent material in moisture soil, it should be mechanically removed like hazardous waste. We use personal protective equipment (read 8.2.2). After work the soil and dirty objects area is washed with water and detergent. Waste water should not enter drain systems or watercourses.
	Sucking techniques:	Use industrial vacuum cleaner for dry cleaning – wet and dry vacuum cleaners (with a brush, with adapter for dust).
	Required equipment for retaining /cleaning:	The equipment used depends on the type and extent of contamination. General equipment: tank, neutral absorbent material, shovel and foil to prevent dusting. Cleaning is carried out under supervision of experts. Usually fire management intervention is supervising.
6.3.3.	Inappropriate cleaning or retaining techniques:	Retention in the direction of the wind; rinsing with water before the fertilizer is mechanically removed; using the detergent with an acid reaction.
6.4.	Reference to other sections:	Not required.
7. Ha	andling and storage	
7.1.	Precautions for safe handling	
7.1.1.	Recommendations shall be specified to:	No data.
	Safe handling of substance or mixture:	Use in well ventilated area. Accumulation of dust and powder should be reduced to a minimum that the concentration of dust does not exceed the limit value (point 8.1.1). Mandatory use of personal protective equipment (read section 8.2.2.). Follow instructions for safe handling of fertilizer.
	Prevent handling of incompatible substances or mixtures:	Follow all instructions for use and SDS.
	Operations and conditions which create new risks by altering the properties of the substance or mixture, and to appropriate countermeasure:	There is no change in the properties of the mixture in the product, so there is no risk and no appropriate countermeasures.
	Reduce the release of the substance or mixture to the environment:	Follow all instructions for use and SDS.
7.1.2.	General working hygiene (prohibited eating,	Use Personal Protective Equipment (PPE). Protective clothing must

Cinkarna Celje, SAFETY DATA SHEET	Page 4 of 6
Trade name: CUPROVIN 50	

	drinking and smoking within working area; washing hands):	be washed after work. Likewise, the person must wash hands with water and soap. Even during the break workers should wash their hands. At the time of use you should not eat, drink or smoke.
7.2.	Conditions for safe storage, including any incompatibilities	
	Management of risk associated with:	
	- explosive atmospheres:	Unspecified.
	- corrosive substances:	The fertilizer must be isolated from corrosive substances (acids, bases).
	- incompatible substances or mixtures:	Substances with acids reaction.
	- evaporation substances:	Unspecified.
	- potential ignition sources:	Unspecified.
	How to control the effects of	
	- weather conditions:	Fertilizer shouldn't be exposed to rain and shouldn't be used in areas with high humidity.
	- ambient pressure:	Unspecified.
	- temperature:	Room temperature.
	- sunlight:	Fertilizer must be separated from direct sunlight.
	- humidity:	The product is hygroscopic.
	Securing integrity of substance or mixture by use of:	
	- stabilisers:	Not required.
	- antioxidants:	Not required.
	Other advice including:	
	- ventilation requirements;	Store in the original packaging (closed and marked); in a well-ventilated area so that the dust concentration does not exceed the limit value (point 8.1.1); separate from food, drink and feed; in a dry, cool place (room temperature); away from children, animals and non-professionals. Keep away from acids and bases. Protect from direct sunlight. Prevent dust formation.
	- specific designs for storage rooms or vessels (including retention walls and ventilation):	Specific constructions are not required.
	- quantity limitations regarding storage conditions:	Limited quantities are not determined by proper storage.
	- packaging compatibility:	Fertilizer is compatible with the packaging.
7.3.	Specific end use(s):	Use only in accordance with instructions (point 1.2). Reference to section 16.
8. Ex	posure control/ personal protection	
8.1.	Control parameters	
8.1.1.	-Limit values (LV):	Copper: (limit value): Inhalable = 1 mg / m³; Alveolar = 0.1 mg / m³
0	-Biological limit values (BLV):	(short-term value) = 4 mg / m ³ Not relevant.
	DNEL:	Copper is an essential metal. A regulating mechanism inside the organism is maintaining the balance between the amount of copper that is necessary for normal physiological functioning and the amount which is already harmful for the organism. ADI = 0,15 mg Cu/kg bw/day AOEL = 0,08 mg Cu/kg bw/day NOAEL (oral, rat) = 16 mg Cu/kg bw/day
	PNEC:	Different processes and environmental factors are affecting on copper accumulation in soil such as: pH, organic matter, soil texture and cation exchange capacity (CEC). The largest impact on copper

Cinkarna Celje, SAFETY DATA SHEET	Page 5 of 6
Trade name: CUPROVIN 50	

		accumulation has locally and regional environment characteristics. The risk of surface water depends on quantity of soluble copper. An effect on aquatic organisms depends on water hardness, pH and dissolved organic carbon. Not expected that copper would spread into sewage water treatment plants and effected on respiration in the sewage.
8.2.	Exposure control	
8.2.1.	Appropriate engineering controls:	Ventilation (local and spatial).
8.2.2.	Personal protective equipment:	
	- respiratory protection:	In the case of short term-exposure use respirator-dust mask standard EN 149, class: FFP3 protective factor 20. For prolonged or intense exposure use the filtering half mask standard EN 140, with filter for particles EN 143, type: P3.
	- skin protection:	The degree of protection depends on the purpose of handling of the substance. We can use protective clothing (standard EN 13688), which can be washed after use and re-worn, and rubber footwear or footwear protecting against chemicals (standard EN 13832-1). After work we wash with water and soap.
	- hand protection:	Protective gloves against chemicals (standard EN 374-1) with 0.1 to 0.4 mm thick for disposable gloves and 0.5 to 1.0 mm thick for reusable gloves. Water and chemical resistant gloves made by neoprene or latex. After work we wash hands with water and soap and protect the skin with cream.
	- eye/face protection:	Safety goggles closed at the sides - tightly adjustable according to the SIST EN ISO 16321-1 (SIST EN 166)standard.
	- heat radiation protection:	There are no thermic dangers.
	Other:	No need.
8.2.3.	Environment exposure control:	Contaminated water from fire should not be spilled into drains or watercourses. We must prevent the development of dust – ensure adequate ventilation. Waste should be sorted and disposed to an appropriate landfill regulated under the current Rules on the disposal of hazardous waste.
9. Ph	ysical and chemical properties	
9.1.	Information on basic physical and chemical properties:	
	- Physical state:	Wettable powder
	- colour	Green
	- odour:	Odourless
	pH:	6,5 – 9,0 (1 % aqueous dispersions, at 20°C)
	Melting/freezing point:	Decomposes before melting point (> 200°C).
	Boiling point or initial boiling point and boiling range	Decomposes before boiling point.
	Flash point:	Heavily combustible preparation. Justification: Inorganic salts are not flammable.
	Auto-ignition temperature:	Not relevant.
	Flammability (solid, gas):	Useless. Justification: Inorganic salts are not flammable.
	Lower and upper explosion limit:	Useless. Justification: Inorganic salts are not flammable.
	Vapor pressure:	Useless (fine powder).
	Density and/or relative density:	No data.
	Solubility:	Water, at 20°C (57.39% Cu):

Cinkarna Celje, SAFETY DATA SHEET	Page 6 of 6
Trade name: CUPROVIN 50	

	- Germ cell mutagenicity:	Source: material test: copper oxychloride. Not classified Copper compounds are not mutagenic when used properly and normally.
	- Respiratory or skin sensitisation:	Source: material test: copper oxychloride. Not classified Source: material test: copper oxychloride.
	- Serious eye damage/irritation:	Source: material test: copper oxychloride. Not classified Source: material test: copper oxychloride.
	- Skin corrosion/irritation:	Not classified
	- Acute toxicity:	Acute toxicity / oral /; Category 3 (calculated) Acute toxicity / inh. /; Category 4 LC50 (rat): 2,83 mg/L air/ 4h (only nose) Acute toxicity / derm. / - Not classified LD 50 (rat): > 2000 mg/kg b.w. Test results of the reference product.
11.1.	Information on hazard classes as defined in Regulation (EC) No 1272/2008	Agusto toxinity / orol /s Cotogory 2
	Toxicological data	
		When stored and used correctly, decomposition doesn't occur.
10.5. 10.6.	Incompatible materials: Hazardous decomposition products:	Substances with acid reaction, strong acids and bases, chlorates. Copper oxides (in case of fire or at high temperatures).
10.4.	Conditions to avoid:	Moisture (fertilizer is hygroscopic) and substances with acid reaction.
10.3.	Possible hazardous reactions:	See section 9 and 10 (dangerous reactions are not expected).
10.2.	Chemical stability:	Copper oxychloride is not a self-heating substance. Experience of use indicates that it doesn't ignite in contact with water or evolve gases. Production experience and experience in use indicate that the substance is not corrosive in solid state. Corrosivity for metals is possible when the substance is in the solution and has low pH and high-water hardness.
10.1.	Reactivity:	The fertilizer is very stable, insoluble in water.
10. S	tability and reactivity	
9.2.2	Other safety-related parameters:	
	- Corrosive to metals:	Not relevant. Mixture is an inorganic salt powder.
	- Flammable solids:	Not relevant. Mixture is an inorganic salt powder.
	- Flammable liquids:	Not relevant. Mixture is an inorganic salt powder.
	- Oxidising gases:	Not relevant. Mixture is not oxidising gas.
	- Aerosols:	Not relevant. Mixture is not aerosol.
	- Flammable gases:	Not relevant. Mixture is not flammable gas.
	- Explosives:	Not relevant. Mixture is not explosive.
9.2.1	Information on physical hazard classes	Data for politica. Et on
9.2.	Relative vapour density: Other information:	Justification: Inorganic salt powder. Surface tension: 72.2 mN / m at 20°C (57.39% Cu). Data for point 9: EFSA
	Kinematic viscosity:	Justification: Inorganic salt powder. Useless.
	Decomposition temperature:	240°C (for approx. 57.39% copper). Useless.
	Partition coefficient: n-octanol-water:	Not applicable (negligible solubility in water and n-octanol).
	Destition as efficient in a stored weeker	1.19 mg / L, at pH = 6.6; 101 g / L, at pH = 3.1 and 0.525 mg / L at pH = 10.1 Organic solvents, 20°C: methanol, acetone = <8.2 mg / L; dichloromethane = <10 mg / L; toluene = <11.0 mg / L

Cinkarna Celje, SAFETY DATA SHEET	Page 7 of 6
Trade name: CUPROVIN 50	

14.2.	UN proper shipping name:	TOXIC SOLID, INORGANIC, N.O.S.(copper oxychloride)		
14.1.	UN number or ID number:	3288		
14. Transport information ADR, RID, AND, IMDG, ICAO-TI/IATA-DGR ADR /RID / IMDG				
13.1.	Waste treatment methods:	Remains of fertilizer should be stored in original, labelled packaging. Waste materials and packaging are given on rent to an authorized collector of hazardous substances in accordance with applicable environmental legislation, which regulates hazardous waste management and the management of packaging and packaging waste. Caution: Do not re-use empty containers!		
13. Dis	posal considerations			
12.7.	Other adversative effects:	The risk to soil micro-organisms, biological sewage treatment and non-target terrestrial plants / organisms is low. The effect on nitrification and mineralization in the soil is not observed. Bees - LD50 oral. (acute): 12.1 µg / bee; LD50 contact (acute): 44.3 µg / bee; Earthworms and other soil microorganisms: NOAEC (earthworms, 10 years): 4 kg Cu / ha / year. Birds: the risk is acceptable for doses of 5 kg Cu / ha / year. Copper is not an endocrine / hormone disruptor for mammals. Data for point 12: EFSA		
12.6.	Endocrine disrupting properties:	Not classified. Substance - copper oxychloride is persistent, bioaccumulation is absent, so it does not have the properties of endocrine disruptors.		
12.5.	Results of PBT and vPvB assessment:	Substance is not considered as PBT/vPvB. It is persistent, bioaccumulation is very low. Substance is rarely an indicator of toxicity.		
12.4.	Mobility in soil:	Copper is moderately mobile. Copper mobility is affected by: pH (at low - acid value the solubility of copper is higher), redox potential (copper is more soluble in wet soils or in soils with low redox potential), activity of microorganisms or organic matter (humic substances - fulvic and humic acids) which affects the cation exchange of copper - cations from the soil solution replace e.g. colloidal cations.		
12.3.	Bio accumulative potential:	Tests did not show accumulation of copper in organisms.		
12.2.	Persistence and degradability:	The substance copper oxychloride is persistent and not biodegradable. Degradation is not expected.		
12.1.	Toxicity:	Aquatic Acute toxicity; Category 1; M=10 Aquatic Chronic toxicity; Category 1; M=10 Fertilizer is classified as substance: copper oxychloride.		
12. Ec	ological information			
	- Endocrine disrupting properties	Not classified. Copper compounds do not have the properties of endocrine disruptors when used correctly and normally.		
	- Aspiration hazard:	Does not fall under this danger.		
	- STOT – repeated exposure:	Source: material test: copper oxychloride. Not classified Source: material test: copper oxychloride.		
	- STOT – single exposure:	NOAEL (reproductive): 24 mg/kg bw/day Not classified		
	- Toxicity for reproduction:	Not classifieddoes not cause impaired fertility or development of defects of the fetus or offspring. Material: copper oxychloride. NOAEL (parental, offspring): 15 mg/kg bw/day		
	- Carcinogenicity:	Not classified At real exposure levels, the fertilizer does not show carcinogenic potential.		

Cinkarna Celje, SAFETY DATA SHEET	Page 8 of 6
Trade name: CUPROVIN 50	

14.3	Transport hazard class(es):	6.1
14.4.	Packaging group:	III
14.5.	Environmental hazards:	YES ENVIRONMENTALLY HAZARDOUS SUBSTANCE (copper oxychloride)
14.6.	Special precautions for user:	Avoid release to the environment. Do not breathe in the dust.
14.7.	Maritime transport in bulk according to IMO instruments:	The product is not to be transported in bulk.
	egulatory information	
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture:	This fertilizer is a subject to applicable regulations of Fertilizer; CLP Regulation; REACH Regulation; Rules on Classification, Packaging and Labelling of dangerous substances; Chemicals law and the law of: safety, occupational health, environmental protection and management of hazardous chemicals; Rules on the protection of workers from the risks related to exposure to chemical agents at work; Rules on personal protective equipment; International carriage of dangerous goods by road / ADR /; A list of harmonized standards, the use of which creates a presumption of conformity of the product with the requirements.
15.2.	Chemical safety assessment:	A chemical safety assessment for this product is not implemented.
16. O	ther information	
	Amendments made in the revised edition:	Point 2,11,14.
	List of relevant, hazard statements, safety phrases and/or precautionary statements. Write out the full text of any statement which are not written out in full under Sections 2 to 15: In the case of mixtures, an indication of which of	H301 Toxic if swallowed. H332 Harmful if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.
	the methods of evaluating information referred to in Article 9 of Regulation (EC) No 1272/2008 was used for the purpose of classification:	Classification of substance according to calculation.
	Training of personnel:	A Course of safety, occupational health, fire safety and handling of hazardous chemicals.
	Key literature references and sources for data:	Classified according to CLP; Chemicals Act; Occupational Safety and Health Act; Regulation 2003/2003 / EC / Mineral fertilizers /; Rules on waste management; Rules on the management of packaging and packaging waste; Decision on the publication of Annexes A and B to the European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR); Rules on the protection of workers from the risks related to exposure to chemical substances at work.
	A key or legend to abbreviation and acronyms used in the safety data sheet:	ADI = Acceptable Daily Intake AOEL = Acceptable Operator Exposure Level CLP = Classification, Labelling and Packaging DNEL = Derived No-Effect Level EFSA = European Food Safety Authority ErC50 = 50% reduction in growth rate LC50 = Median lethal concentration LD50 = Median lethal dose NOAEL = No observed adverse effect level PBT = Persistent, Bio accumulative, Toxic PEC = Predicted effect concentration REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

Data specified above are based on research and experience of the supplier at the time of compiling the present MSDS. The supplier may not assume responsibility in case the buyer/user should fail to use the product in accordance with the relevant suggestions and recommendations. No information contained in the present SMDS may release the buyer/user from liability to strictly follow any legal requirements regarding his business activities.